PATENT NO.

: 6,888,243 B2

Page 1 of 18

APPLICATION NO.: 09/964462

DATED INVENTOR(S) : May 3, 2005

: Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page should be deleted to appear as per attached title page.

Signed and Sealed this

Eighth Day of January, 2008

JON W. DUDAS Director of the United States Patent and Trademark Office

(12) United States Patent Yamaguchi

AND SEMICONDUCTOR DEVICE

(10) Patent No.: (45) Date of Patent:

US 6,888,243 B2 May 3, 2005

(54)	SEMICONDUCTOR DEVICE						
(75)	Inventor:	Yasuo Yamaguchi, Tokyo (JP)					
(73)	Assignee:	Renesas Technology Corp., Tokyo (JP)					
(*)	Notice:	Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 351 days.					
(21)	Appl. No.: 09/964,462						
(22)	Filed:	Sep. 28, 2001					
(65)		Prior Publication Data					
	US 2002/0	105079 A1 Aug. 8, 2002					
(30)	Foreign Application Priority Data						
Peb. 6, 2001 (JF)							
(51) (52)	Int. Cl. ⁷ . U.S. Cl.	H91L 23/48 257/748; 257/758; 257/774; 257/471					
(58)	Field of Search						
(56)		References Cited					
	ט	S. PATENT DOCUMENTS					
	4,779,127 A 5,444,015 A	* 10/1988 Honjo					

5,457,344 A • 10/1995 Bartelink 257/737

3/2000 Boatty .

Wollesen .

5/1999

8/1999

11/1999

5,900,668 A

5,937,321 A *

5,994,777 A. *

6,034,433 A • 6,078,106 A •

6_100_589 A *

..... 257/522

Beck et al. 438/622

6/2000 Kawata 257/758

6,124,604	A	•	9/2000	Koyama et al	. 257/72
6.130,449	A	•	10/2000	Mutsuoka	257/296
6,222,270	B1	•	4/2001	Les	257/758
6.246.118	B1	٠	6/2001	Buygoski	257/758
6,297,563	Bi	٠	10/2001	Yamaha	257/781
				Knoedl, Jr	
6.337.517	BI	•	1/2002	Ohta et al	257/758
				Koo et al	

FOREIGN PATENT DOCUMENTS

JP	3-248458	11/1991
JP	5-347412	12/1993
IP	10-270704	10/1998
JP	11-135799	5/1999
JP	11-238734	8/1999
JP	11-354807	12/1999


^{*} cited by examiner


Primary Examiner—David L Talbott
Assistant Examiner—Lourdes Cruz
(74) Attarney, Agent, or Firm—Oblon, Spivak, McCielland,
Majer & Neustadt, P.C.

(57) ABSTRACT

To improve the radiation property without inhibiting miniaturization of the device, heat generated at a heat generating layer (5) is radiated to a substrate (1) via plugs (7, 17), wiring layers (8, 18), and plugs (9, 19). A cross sectional along the principal plane of the substrate (1) of the plugs (7, 9, 17, 19) is set to be a rectangle, and the long sides of the rectangle are parallel to the direction perpendicular to the direction commoding one end and the other end of the heat generating layer (5). Between the plugs (9, 19) and the semiconductor layer (2) is interposed a-type semiconductor layers (3, 13).

20 Claims, 12 Drawing Sheets





Page 3 of 18


PATENT NO. : 6,888,243 B2

APPLICATION NO. : 09/964462 DATED : May 3, 2005

INVENTOR(S) : Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 1 with the following figure 1:



PATENT NO.

: 6,888,243 B2

Page 4 of 18

APPLICATION NO. : 09/964462

DATED


: May 3, 2005

INVENTOR(S)

: Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 2 with the following figure 2:



PATENT NO. : 6,888,243 B2 **APPLICATION NO. : 09/964462**


DATED INVENTOR(S) : May 3, 2005 : Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 5 of 18

In the drawings, please replace figure 3 with the following figure 3:

F 1 G. 3




PATENT NO. : 6,888,243 B2 Page 6 of 18

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 4 with the following figure 4:

F | G. 4




PATENT NO. : 6,888,243 B2 Page 7 of 18

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 5 with the following figure 5:



PATENT NO. **APPLICATION NO. : 09/964462**

: 6,888,243 B2

Page 8 of 18

DATED


: May 3, 2005

INVENTOR(S)

: Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 6 with the following figure 6:




PATENT NO. : 6,888,243 B2 Page 9 of 18

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 7 with the following figure 7:

F 1 G. 7



PATENT NO. : 6,888,243 B2


88,243 B2 Page 10 of 18

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 8 with the following figure 8:

F1G. 8



PATENT NO.

: 6,888,243 B2

Page 11 of 18

APPLICATION NO. : 09/964462

DATED


: May 3, 2005

INVENTOR(S)

: Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 9 with the following figure 9:



Page 12 of 18


PATENT NO. : 6,888,243 B2 APPLICATION NO. : 09/964462

09/964462

DATED : May 3, 2005 INVENTOR(S) : Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 10 with the following figure 10:




PATENT NO. : 6,888,243 B2 Page 13 of 18

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 11 with the following figure 11:




PATENT NO. : 6,888,243 B2

388,243 B2 Page 14 of 18 1/964462

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 12 with the following figure 12:




PATENT NO. : 6,888,243 B2

Page 15 of 18

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 13 with the following figure 13:



PATENT NO. : 6,888,243 B2 APPLICATION NO. : 09/964462

: 09/964462 : May 3, 2005


DATED INVENTOR(S)

: Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 16 of 18

In the drawings, please replace figure 14 with the following figure 14:




PATENT NO. : 6,888,243 B2

88,243 B2 Page 17 of 18

APPLICATION NO.: 09/964462
DATED: May 3, 2005
INVENTOR(S): Yasuo Yamaguchi

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 15 with the following figure 15:



PATENT NO.

: 6,888,243 B2

Page 18 of 18

DATED

APPLICATION NO. : 09/964462

: May 3, 2005

INVENTOR(S) : Yasuo Yamaguchi

> It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 16 with the following figure 16:

